

Cof ✓

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE			
REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 C.F.R. § 1.322		Docket Number: 12219/43	
Application Number 10/728,745	Filing Date December 8, 2003	Examiner Timothy J. Thompson	Art Unit 2873
Patent Number 7,301,712 B2	Issue Date November 27, 2007		
Invention Title IMAGE-FORMATION OPTICAL SYSTEM, AND IMAGING SYSTEM INCORPORATING THE SAME		Inventor(s) Yuji KAMO	

Address to:
 Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

Certificate
MAY 07 2008
of Correction


Sir:

We have compared the above patent with the application as filed and have found several errors in the printing of the patent. We respectfully request that the enclosed Certificate of Correction on Form PTO-1050 be issued correcting the mistakes set forth therein under authority of 35 U.S.C. § 254. The exact column and line numbers where the errors occur in the patent are listed on the enclosed certificate.

The changes represent correction of Patent Office error(s) which occurred during printing of the patent and Applicant error(s). The errors that appear in this patent because of Applicant's mistake are clerical, typographical or of a minor character and occurred in good faith, and the corrections do not involve changes in the patent so as to represent new matter or to require reexamination.

The Commissioner is authorized to charge payment of the 37 C.F.R. § 1.20(a) certificate of correction fee of **\$100.00** to the deposit account of Kenyon & Kenyon LLP, deposit account No. **11-0600**. The Commissioner is also authorized to charge any additional fees or credit any overpayment in connection with this paper to Deposit Account No. **11-0600**.

Dated: May 1, 2008

By: 
 Richard M. Rosati (Reg. No. 31,792)

05/05/2008 WASFAW1 00000048 110600 7301712
 01 FC:1811 100.00 DA

KENYON & KENYON LLP
 One Broadway
 New York, N.Y. 10004
 (212) 425-7200 (telephone)
 (212) 425-5288 (facsimile)
CUSTOMER NO. 26646

RECEIVED-USPTO
Patent Publication
MAY 7 2008



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT No. : 7,301,712 B2
DATED : November 27, 2007
INVENTOR(S): Yuji KAMO

It is certified that errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 111, line 3, change " $0.01 < r_{1r}/r_{2r} < 0.75$ (2)" to $--0.01 < r_{1r}/r_{2r} < 0.75$ (2)--;
Column 111, line 17, change " $-5.0 < f_{2-3}/f < 0.1$ (4)" to $-- -5.0 < f_{2-3}/f < 0.1$ (4)--; and
Column 114, line 36, change " $-1.5 < r_{1r}/r_{2r} < 0.75$ (62)" to $-- -1.5 < r_{1r}/r_{2r} < 0.75$ (62)--.

MAILING ADDRESS OF SENDER

Kenyon & Kenyon LLP
One Broadway
New York, NY 10004

Patent No. 7,301,712 B2

No. of add'l. copies @ 30 ¢ per page

→ _____